

Public Review Draft

Proposed Addendum v to Standard 189.1-2017

Standard for the Design of High-Performance Green Buildings Except Low-Rise Residential Buildings

First Public Review (March 2019)
(Draft Shows Proposed Changes to Current Standard)

This draft has been recommended for public review by the responsible project committee. To submit a comment on this proposed standard, go to the ASHRAE website at www.ashrae.org/standards-research--technology/public-review-drafts and access the online comment database. The draft is subject to modification until it is approved for publication by the Board of Directors and ANSI. Until this time, the current edition of the standard (as modified by any published addenda on the ASHRAE website) remains in effect. The current edition of any standard may be purchased from the ASHRAE Online Store at www.ashrae.org/bookstore or by calling 404-636-8400 or 1-800-727-4723 (for orders in the U.S. or Canada).

The appearance of any technical data or editorial material in this public review document does not constitute endorsement, warranty, or guaranty by ASHRAE of any product, service, process, procedure, or design, and ASHARE expressly disclaims such.

© 2019 ASHRAE. This draft is covered under ASHRAE copyright. Permission to reproduce or redistribute all or any part of this document must be obtained from the ASHRAE Manager of Standards, 1791 Tullie Circle, NE, Atlanta, GA 30329. Phone: 404-636-8400, Ext. 1125. Fax: 404-321-5478. E-mail: standards.section@ashrae.org.

ASHRAE, 1791 Tullie Circle, NE, Atlanta GA 30329-2305



© 2019 ASHRAE This is a working draft document intended for review only by the cognizant ASHRAE groups and other designated reviewers and is not for distribution to any private interests, individuals or third parties that are not designated as ASHRAE reviewers for this document.

This document may not be distributed in whole or in part in either paper or electronic form outside of the PC without the express permission of the MOS and shall include a statement indicating such.

The appearance of any technical data or editorial material in this draft document does not constitute endorsement, warranty or guaranty by ASHRAE of any product, service, process, procedure, design, or the like, and ASHRAE expressly disclaims such.

(This foreword is not part of this standard. It is merely informative and does not contain requirements necessary for conformance to the standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process. Unresolved objectors on informative material are not offered the right to appeal at ASHRAE or ANSI.)

Foreword

This addendum proposes to add the word “new” to clarify that Sections 8.4.2.5 and 8.5.2 apply to new office furniture products.

Note: In this addendum, changes to the current standard are indicated in the text by underlining (for additions) and ~~strikethrough~~ (for deletions) unless the instructions specifically mention some other means of indicating the changes. Only these changes are open for review and comment at this time. Additional material is provided for context only and is not open for comment except as it relates to the proposed substantive changes.

Addendum v to 189.1-2017

Revise Sections 8.4.2.5 and 8.5.2g as follows:

8.4.2.5 Office Furniture Systems and Seating. New office ~~Office-furniture~~ systems and seating installed prior to occupancy shall comply with the requirements of both Sections 8.4.2.5.1 and 8.4.2.5.2, based on testing according to ANSI/BIFMA M7.1.

8.4.2.5.1 At least 95% of the total number of installed new office furniture system workstations, and at least 95% of the total number of *seating* units installed, shall comply with ANSI/BIFMA X7.1.

8.4.2.5.2 At least 50% of the total number of installed new office furniture system workstations, and at least 50% of the total number of new seating units installed, shall comply with Section 7.6.2 of ANSI/BIFMA e3.

8.5.2 Materials.

g. New office ~~Office-furniture~~ systems and seating installed prior to initial occupancy. Emissions of these items shall be obtained in accordance with the BIFMA M7.1.