



BSR/ASHRAE Standard 244P/CSA R400:26

Public Review Draft

Development and Application of Product Category Rules for HVAC&R-Related Mechanical, Electrical, and Plumbing Products

**First Public Review (October 2026)
(Draft Shows Complete Proposed New Standard)**

This draft has been recommended for public review by the responsible project committee. To submit a comment on this proposed standard, go to the ASHRAE website at <https://www.ashrae.org/technical-resources/standards-and-guidelines/public-review-drafts> and access the online comment database. The draft is subject to modification until it is approved for publication by the Board of Directors and ANSI. Until this time, the current edition of the standard (as modified by any published addenda on the ASHRAE website) remains in effect. The current edition of any standard may be purchased from the ASHRAE Online Store at www.ashrae.org/bookstore or by calling 404-636-8400 or 1-800-727-4723 (for orders in the U.S. or Canada).

This document may not be distributed in whole or in part in either paper or electronic form outside of the PC without the express permission of the MOS and shall include a statement indicating such.

The appearance of any technical data or editorial material in this public review document does not constitute endorsement, warranty, or guaranty by ASHRAE of any product, service, process, procedure, or design, and ASHRAE expressly disclaims such.

© 2026 ASHRAE. This draft is covered under ASHRAE copyright. Permission to reproduce or redistribute all or any part of this document must be obtained from the ASHRAE Manager of Standards, 180 Technology Parkway NW, Peachtree Corners, GA 30092. Phone: 404-636-8400, Ext. 1125. Fax: 404-321-5478. E-mail: standards.section@ashrae.org.

ASHRAE, 180 Technology Parkway NW, Peachtree Corners, GA 30092

Legal Notice for Standard Jointly Developed by ASHRAE and CSA Group

Intellectual property rights and ownership

As between American Society of Heating, Refrigerating and Air Conditioning Engineers Inc. (“ASHRAE”) and Canadian Standards Association (Operating as “CSA Group”) (collectively “ASHRAE and CSA Group”) and the users of this document (whether it be in printed or electronic form), ASHRAE and CSA Group are the joint owners of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. The unauthorized use, modification, copying, or disclosure of this document may violate laws that protect the intellectual property of ASHRAE and CSA Group and may give rise to a right in ASHRAE and CSA Group to seek legal redress for such use, modification, copying, or disclosure. ASHRAE and CSA Group reserve all intellectual property rights in this document.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. ASHRAE and CSA Group do not warrant the accuracy, completeness, or currency of any of the information published in this document. ASHRAE and CSA Group make no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL ASHRAE AND CSA GROUP, THEIR RESPECTIVE VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF ASHRAE OR CSA GROUP HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, ASHRAE and CSA Group are not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and ASHRAE and CSA Group accept no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

ASHRAE and CSA Group have no power, nor do they undertake, to enforce compliance with the contents of the standards or other documents they jointly publish.

Authorized use of this document

This document is being provided by ASHRAE and CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by ASHRAE and CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached Standard;
- sell this document without authorization from ASHRAE and CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CSA Group

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

™A trademark of the Canadian Standards Association, operating as “CSA Group”

ASHRAE

Founded in 1894, ASHRAE is a global professional society committed to serve humanity by advancing the arts and sciences of heating, ventilation, air-conditioning, refrigeration, and their allied fields.

As an industry leader in research, standards writing, publishing, certification, and continuing education, ASHRAE and its members are dedicated to promoting a healthy and sustainable built environment for all, through strategic partnerships with organizations in the HVAC&R community and across related industries.

To stay current with this and other ASHRAE Standards and Guidelines, visit www.ashrae.org/standards, and connect on LinkedIn, Facebook, Twitter, and YouTube.

Visit the ASHRAE Bookstore

ASHRAE offers its Standards and Guidelines in print, as immediately downloadable PDFs, and via ASHRAE Digital Collections, which provides online access with automatic updates as well as historical versions of publications. Selected Standards and Guidelines are also offered in redline versions that indicate the changes made between the active Standard or Guideline and its previous edition. For more information, visit the Standards and Guidelines section of the ASHRAE Bookstore at www.ashrae.org/bookstore.

Disclaimer

ASHRAE uses its best efforts to promulgate Standards and Guidelines for the benefit of the public in light of available information and accepted industry practices. However, ASHRAE does not guarantee, certify, or assure the safety or performance of any products, components, or systems tested, installed, or operated in accordance with ASHRAE's Standards or Guidelines or that any tests conducted under its Standards or Guidelines will be nonhazardous or free from risk.

Preface

This is the first edition of ASHRAE Standard 244/CSA R400:26, *Development and Application of Product Category Rules for HVAC&R-Related Mechanical, Electrical, and Plumbing Products*.

This Standard was jointly prepared by the American Society of Heating, Refrigerating and Air Conditioning Engineers Inc. (ASHRAE), and Canadian Standards Association (CSA Group). The efforts and support of the Joint ASHRAE SPC 244/CSA S2069 Technical Committee on Development and Application of Product Category Rules for HVAC&R-Related Mechanical, Electrical, and Plumbing Products on the development of this Standard are gratefully acknowledged.

This Standard provides guidance for creating and/or updating life cycle assessment (LCA)-based product category rules (PCRs) and environmental product declarations (EPD) reporting requirements for heating, ventilating, air-conditioning, and refrigerating (HVAC&R)-related mechanical, electrical, and plumbing (MEP) products, supplementing existing ISO and related standards.

This Standard was prepared by the ASHRAE SPC 244/CSA S2069 Joint Technical Committee on the *Development and Application of Product Category Rules for HVAC&R-Related Mechanical, Electrical, and Plumbing Products*, under the jurisdiction of the ASHRAE Standards Committee and the CSA Strategic Steering Committee on Organizational Management & Sustainability. This Standard has been formally approved by the ASHRAE/CSA Joint Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

This Standard has been developed in compliance with the American National Standards Institute (ANSI) requirements for American National Standards. It has been published as an American National Standard by ASHRAE.

CSA/ASHRAE Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard. Consensus as defined by ANSI and ASHRAE further requires that “all views and objections be considered, and that an effort be made toward their resolution.”*
- 4) *A request for interpretation can be submitted to clarify the meaning of a provision in this Standard. To submit a request for interpretation, please refer to www.csagroup.org/request-for-interpretation and <https://www.ashrae.org/technical-resources/standards-and-guidelines/standards-interpretations>. Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and the ASHRAE Procedures for Standards Actions (PASA) and are available on the CSA Standards Activities page at standardsactivities.csagroup.org and the ASHRAE Standards Interpretations page at <https://www.ashrae.org/technical-resources/standards-and-guidelines/standards-interpretations>.*

5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and standards.section@ashrae.org, and include "Proposal for change" in the subject line:*

- a) Standard designation (number);*
- b) relevant clause, table, and/or figure number;*
- c) wording of the proposed change; and*

rationale for the change.

Sustainable Development Goals (SDG) Foreword

CSA Group develops and maintains standards-based solutions across a broad range of topics, most of which support the United Nations Sustainable Development Goals (UN SDGs) towards shaping a sustainable and resilient future.

Through a robust mapping process, connections between BSR/ASHRAE Standard 244P/CSA R400:26 and the following SDGs have been identified:

SDG			
Targets	9.4	12.6 12.7	13.3

BSR/ASHRAE Standard 244P/CSA R400:26 has notable linkages with the following SDGs:

- SDG 9: *Industry, Innovation and Infrastructure*
- SDG 12: *Responsible Consumption and Production*
- SDG 13: *Climate Action*

For further information on CSA Group's SDG Mapping initiative, please visit: <https://www.csagroup.org/sdg/>

Note: *It is important to note that although some standards-based solutions explicitly support SDG targets, not all standards and documents link to the SDGs. Users of CSA documents should always take care and be specific when claiming their support of SDGs through the use of standards and other documents. The SDG mapping outcomes made available by CSA Group are intended to assist users in their evaluation of how the application of a Standard or other document can support their work towards SDG achievement.*

(This foreword is not part of this Standard. It is merely informative material and does not contain requirements necessary for conformance to the Standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process. Unresolved objectors on informative material are not offered the right to appeal at ASHRAE or ANSI.)

FOREWORD

Environmental impact data from the manufacturing, shipping, and end of life of mechanical, electrical, and plumbing (MEP) equipment has started to be as valued as the use phase environmental impact data. The most efficient way for this data to be shared accurately between manufacturers and the engineers, purchasers, and end users that are asking for it is the environmental product declaration (EPD) that can be produced from the data derived from a Life Cycle Assessment. This takes a product category rule (PCR) to ensure that products that are in similar categories are making similar assumptions, reporting the same impact data, and transferring information between an LCA and EPD in a similar fashion. At the current time, there are not many PCRs for MEP equipment in North America and when one is not available, ISO 21930 is typically used as the base for the EPD publication for building materials (EN 15804:2012 + A2:2019 is utilized in the EU). While this is adequate it is not ideal, so this Standard is being developed to give guidance to associations, program operators, and other interested parties of what should be included in an MEP PCR and ensure alignment with the Standards currently utilized in the global marketplace when published. We envision this Standard helping with the UN Sustainable Development Goals 9 Industry Innovation and Infrastructure, 12 Responsible Consumption and Production, and 13 Climate Action by bringing transparency to the environmental impacts of manufacturing, utilizing and end of life of products.

1. PURPOSE

This Standard provides requirements and best practices for *program operators* seeking to develop *product category rules (PCRs)* for *HVAC&R (heating, ventilating, air-conditioning, and refrigerating)-related mechanical, electrical, and plumbing (MEP) products*. Supplementing existing related standards, this Standard is intended to create more consistent *PCRs* for *HVAC&R-related MEP products* to yield more consistent *environmental product declarations (EPDs)*.

2. SCOPE

- 2.1 This Standard is intended for use by manufacturers, *program operators*, and independent verifiers participating in the preparation of *life cycle assessment-based PCRs*.
- 2.2 This Standard covers *HVAC&R-related MEP products*.
- 2.3 This Standard addresses:
 - a. Creating or adopting the necessary *PCRs*;
 - b. Updating *PCRs* and reassessing products as needed; and
 - c. Development of reporting requirements for *EPDs* for *HVAC&R-related MEP products*.
- 2.4 This Standard is intended to supplement ISO 14025, ISO/TS 14027, and related existing standards, such as ISO 21930 and EN 15804, where an existing *PCR* is:
 - a. Unavailable;
 - b. Insufficient per the requirements of this Standard;
 - c. Not relevant to the specific region or application; or
 - d. Out of cycle.
- 2.5 This Standard does not address:
 - a. Performing a *life cycle assessment (LCA)* in accordance with the *PCRs*;
 - b. Reporting the *LCA* results in the product claim document; or
 - c. Registering the product claim document for public access.

3. DEFINITIONS

3.1 General. Certain terms, abbreviations, and acronyms are defined in this section for the purposes of this Standard. These definitions are applicable to all sections of this Standard. Terms that are not defined herein, but that are defined in standards and guidelines that are referenced herein, shall have the meanings as defined in the referenced standards and guidelines. Other terms that are not defined herein shall have their ordinarily accepted meanings within the context in which they are used. Ordinarily accepted meanings shall be based on American Standard English and/or Canadian Standard English language use, as documented in an unabridged dictionary accepted by the *authority having jurisdiction (AHJ)*.

Informative Note: In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with this Standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

3.2 Defined Terms

authority having jurisdiction (AHJ): the agency or agent responsible for enforcing this Standard.

declared unit: refer to ISO 21930, “Sustainability in buildings and civil engineering works — Core rules for environmental product declarations of construction products and services.”

environmental product declaration (EPD): refer to ISO 21930, “Sustainability in buildings and civil engineering works — Core rules for environmental product declarations of construction products and services.”

EPD program: refer to ISO 14025, “Environmental statements and programmes for products — Environmental product declarations (EPDs)”.

functional unit: refer to ISO 14040, “Environmental management — Life cycle assessment — Principles and framework” and ISO 21930, “Sustainability in buildings and civil engineering works — Core rules for environmental product declarations of construction products and services.”

global warming potential (GWP): an index describing the global warming effect over a specific time period of a pollutant relative to the global warming effect over the same time period of an equal mass of carbon dioxide (CO₂).

HVAC&R: acronym for heating, ventilating, air-conditioning, and refrigerating.

HVAC&R-related mechanical, electrical, and plumbing (MEP): for the purposes of this Standard, *HVAC&R-related MEP* products and systems includes, but is not limited to:

- a. unitary air conditioners and heat pump equipment
- b. variable refrigerant flow air-conditioning and heat pump equipment
- c. furnaces
- d. chillers and heat pump water heating packages
- e. air handling and distribution equipment
- f. ventilation and heat transfer components
- g. boilers
- h. water heaters
- i. data center cooling equipment
- j. direct expansion dedicated outdoor air systems (DOAS)
- k. commercial and industrial refrigeration systems
- l. *HVAC&R* components, such as compressors, fans, motors, pumps, coils, and *HVAC&R* piping
- m. geothermal and water source heat pumps
- n. residential air-to-water heat pumps
- o. transportation refrigeration equipment

impact category: refer to ISO 14044, “Environmental management — Life cycle assessment — Requirements

and guidelines.”

life cycle: refer to ISO 14044, “Environmental management — Life cycle assessment — Requirements and guidelines.”

life cycle assessment (LCA): refer to ISO 14044, “Environmental management — Life cycle assessment — Requirements and guidelines.”

MEP: acronym for mechanical, electrical, and plumbing.

product category: refer to ISO 14025, “Environmental statements and programmes for products — Environmental product declarations (EPDs)”

product category rules (PCR): refer to ISO 14025, “Environmental statements and programmes for products — Environmental product declarations (EPDs)”

program operator (PO) (ISO 14025/ISO 21930): refer to ISO 14025, “Environmental statements and programmes for products — Environmental product declarations (EPDs)” or ISO 21930, “Sustainability in buildings and civil engineering works — Core rules for environmental product declarations of construction products and services.”

reference service life (RSL): refer to ISO 21930, “Sustainability in buildings and civil engineering works — Core rules for environmental product declarations of construction products and services.”

system boundary (ISO 14040/ISO 21930): refer to ISO 14040, “Environmental management — Life cycle assessment — Principles and framework” or ISO 21930, “Sustainability in buildings and civil engineering works — Core rules for environmental product declarations of construction products and services.”

4. REQUIREMENTS FOR PRODUCT CATEGORY RULES

4.1 Methodological Framework

The *PCR* shall provide methodology per the requirements of ISO 21930, Section 7 and EN 15804, Sections 6 and 7, except where otherwise noted.

4.1.1 Functional Unit

The *PCR* shall define a *functional unit*, according to the requirements of ISO 21930, Section 7.1.2 and EN 15804, Section 6.3.2. Examples include:

- One ton of heating or cooling capacity (~3517 W [12,000 Btu/h]) over a *PCR*-defined lifetime
- Transfer of 1 m³/hour (0.59 ft³/min.) of air over a *PCR*-defined lifetime
- Removal of kgs (lbs.) of moisture per hour over a *PCR*-defined lifetime
- Produce 1 liter (0.26 gallons) of stored domestic hot water at a *PCR*-defined temperature over a *PCR*-defined lifetime

Informative Note: Refer to ISO 21930 Annex A for guidance on establishing the reference in-use conditions that in turn inform the function of the product.

4.1.2 Declared Unit

Should a *PCR* define a *declared unit*, enabling results to be reported on a per unit of product basis, a conversion between the *declared unit* and the *functional unit* shall be provided (e.g., a liquid transfer pump may be defined as a singular pump in addition to power or flowrate).

Informative Note: Refer to ISO 21930, Section 7.1.3 and EN 15804, Section 6.3.3.

4.1.3 Requirements for the Use of Reference Service Life (RSL)

The *PCR* shall specify the *RSL*, utilizing the following in the order of preference to make the determination:

- The relevant product testing Standard
- Industry consensus guidance (e.g., ASHRAE/CSA consensus standards or handbooks)
- Relevant *AHJ* guidance (e.g., DOE, NRCAN)

- d. ISO 15686-1, ISO 15686-2, ISO 15686-7, and ISO 15686-8 (per ISO 21930, Section 7.1.4 and EN 15804, Section 6.3.4)

Informative Note: A RSL is only mandatory in cradle-to-grave EPDs.

4.1.4 System Boundaries

The PCR shall comply with the requirements of ISO 21930, Section 7.1.7 and EN 15804, Section 6.3.5, except where otherwise noted.

4.1.4.1 Production Stage (A1 – A3)

The PCR shall require that A1 – A3 be reported in the LCA report, both in aggregate and individually.

Informative Note: Definitions of these stages differ between ISO 21930 and EN 15804.

4.1.4.2 Construction Stage (A4 – A5)

The PCR shall define typical installation scenarios.

4.1.4.3 Use Stage (B1 – B5)

4.1.4.3.1 The PCR shall require that B1 be included for all products (e.g., if refrigerant containing or waste treatment processing).

4.1.4.3.2 The PCR shall determine which of B2 – B5 are applicable and to be included in the EPD, and shall justify any exclusions.

4.1.4.3.3 To ensure consistency between EPDs, the PCR shall develop, at a minimum, defined scenarios for installation, maintenance, repair, and refurbishment, per EN 15804, Section 6.3.9.

4.1.4.4 Use Stage (B6 – B7)

4.1.4.4.1 The PCR shall require that B6 and B7 be included for all products.

Informative Note: If a product does not use any energy or water, it may be reported as zero.

4.1.4.4.2 To ensure consistency between EPDs, the PCR shall define technical information and scenarios by selecting the most representative application parameters for each scenario (e.g., climate zone, grid factors, commercial vs. industrial application).

4.1.4.4.3 The PCR shall require reporting of the selected scenario in the EPD.

4.1.4.4.4 The PCR shall require that the EPD note that the scenario may not be representative of the specific use of the product in the application.

4.1.4.5 End-of-Life Stage (C1 – C4)

The PCR shall determine whether whole category end-of-life assumptions shall be provided and justify any exclusions.

To ensure consistency between EPDs, the PCR shall define technical information and scenarios by selecting the most representative application parameters for each scenario (e.g., commercial application recycling rates vs. residential recycling rates).

The PCR shall require reporting of the selected scenario in the EPD.

4.1.4.6 Module D

The PCR may allow for the inclusion of Module D, but it is not required.

4.1.5 Criteria for the Inclusion and Exclusion of Inputs and Outputs

4.1.5.1 The PCR shall comply with the requirements of ISO 21930, Section 7.1.8.

Informative Note: This is a stricter requirement than EN 15804, Section 6.3.6.

4.1.5.2 The PCR shall specify the requirements for completeness of *bill of materials* (BOMs).

4.1.5.3 The PCR shall provide specific rules and define the missing percentage of total mass cutoffs or calculation methodologies to account for missing data.

Informative Note: ISO 21930, Section 7.1.8 specifies that materials comparing less than 1% of total mass may be excluded; however, in MEP products, those may aggregate to a significant percentage of total mass. If the aggregate mass excluded exceeds 5% of total, the PCR will define the requirements per this subsection.

4.1.6 Selection of Data

The *PCR* shall comply with the requirements of ISO 21930, Section 7.1.9.

Informative Note: These requirements differ between ISO 21930, Section 7.1.9 and EN 15804, Section 6.3.7.

4.1.7 Data Quality Requirements

The *PCR* shall comply with the requirements of EN 15804, Section 6.3.8.

Informative Note: This is a stricter requirement than that of ISO 21930, Section 7.1.9.

4.2 Inventory Analysis

The *PCR* shall comply with the requirements of ISO 21930, Section 7.2 and EN 15804, Section 6.4, except where otherwise noted.

4.2.1 Allocation

4.2.1.1 Co-Product Allocation

Co-product allocation is not possible when a flow is considered a waste, as the “polluter pays” principle must be followed, even if the waste is eventually recovered. Therefore, allocation shall only be applied when the output is a co-product.

4.2.2 Biogenic Carbon

The *PCR* shall specify if permanent biogenic carbon storage is to be included in the calculation of *global warming potential*, per the requirements of EN 15804. For biogenic carbon that would have otherwise been considered stored, a virtual emission biogenic carbon dioxide shall be included. If A5 is not included, this virtual emission shall be included in A3 for packaging, if relevant (e.g., cardboard packaging and wood pallets). Refer to ISO 21930, Sections 7.2.10 and 7.2.13, and EN 15804, Section 7.2.4.2.

4.2.3 Carbonation

Refer to ISO 21930, Section 7.2.8.

4.2.4 Environmental Indicators Derived From LCI

4.2.4.1 Resources

Refer to ISO 21930, Sections 7.2.10 and 7.2.13, and EN 15804, Section 7.2.4.2.

4.2.4.2 Waste Categories and Output Flows

Refer to ISO 21930, Section 7.2.14, and EN 15804, Section 7.2.4.3 and 7.2.4.4.

4.2.4.3 Additional Inventory Indicators Describing Emissions and Removals of Carbon

Refer to ISO 21930, Section 7.2.12.

4.3 Impact Assessment

The *PCR* shall require that *EPDs* include the *impact categories* that align with the requirements of either ISO 21930, Section 7.3, or EN 15804, Section 6.5. The *PCR* may require that additional impact categories be reported when relevant to product function or material composition.

Informative Note: EN 15804, Section 6.5 has more required core environmental impact indicators than ISO 21930, Section 7.3.

4.3.1 Carbon Offset, Carbon Storage, and Delayed Emissions

The *PCR* shall comply with the requirements of ISO 21930, Section 7.2.9, and EN 15804, Section 5.4.3, except where otherwise noted.

4.3.1.1 The *PCR* shall specify that permanent biogenic carbon storage shall not be included in the calculation of *global warming potential*, consistent with EN 15804. The *PCR* may include an additional *impact category* that reflects potential permanent biogenic carbon storage.

4.3.1.2 The *PCR* shall specify that carbon offsets and delayed emissions are not to be included in the *GWP* calculations.

Informative Note: Per ISO 21930, this can be reported as additional environmental information not

derived from the LCA and all assumptions and data sources used to quantify carbon storage or delayed emissions shall be documented and reported.

4.3.2 Greenhouse Gas Emissions from Land Use Change

The *PCR* shall specify how the impact of wood from sustainably managed forests is calculated.

Informative Note: The requirements of EN 15804, Section C.2.5 are stricter than the requirements of ISO 21930, Section 7.2.11.

5. PCR REQUIREMENTS FOR CONTENT OF AN EPD

The *PCR* shall comply with the requirements of ISO 21930, Sections 8 and 9, and EN 15804, Section 7, except where otherwise noted.

5.1 General Information

The *EPD* shall additionally include the information below:

- a. Indicate if multi-facility or single-facility product. If multi-facility, report the variability range between the included sites.
- b. Indicate and justify if for a product or group of similar products. If multi-product, report the variability range between the included products.
- c. Define scaling factors if required
- d. Site(s) for which the *EPD* is representative
- e. Region of sale/use for which the *EPD* is representative
- f. Statement that: “The *EPD* owner has the sole ownership, liability, and responsibility for the *EPD*.”

5.2 Additional Environmental Information

- 5.2.1** The content of regulated hazardous substances shall be reported, per the requirements of ISO 21930, Section 8.4.1, or EN 15804.
- 5.2.2** Direct emissions to air, soil, and/or water shall be reported when regulated, per the requirements of ISO 21930, Section 8.4.2, and EN 15804, Section 7.4.

6. PROJECT REPORT

The *PCR* shall define project report requirements, per the requirements of ISO 21930, Section 10, and EN 15804, Section 9.

7. VERIFICATION AND VALIDITY OF AN EPD

The *PCR* shall define the requirements for verification and validity of an *EPD*, per the requirements of ISO 21930, Section 11, and EN 15804, Section 8.

8. NORMATIVE REFERENCES

1. CEN. 2019. EN 15804 + A2, *Sustainability of construction works—Environmental product declarations—Core rules for the product category of construction products*. Brussels, Belgium: European Committee for Standardization.
2. ISO. 2026. ISO 14025, *Environmental statements and programmes for products — Environmental product declarations (EPDs)*. Geneva, Switzerland: International Organization for Standardization.
3. ISO. 2017. ISO/TS 14027, *Environmental labels and declarations—Development of product category rules*. Geneva, Switzerland: International Organization for Standardization.
4. ISO. 2006. ISO 14040, *Environmental management—Life cycle assessment—Principles and framework*. Geneva, Switzerland: International Organization for Standardization.
5. ISO. 2006. ISO 14044, *Environmental management—Life cycle assessment—Requirements and guidelines*. Geneva, Switzerland: International Organization for Standardization.

6. ISO. 2017. ISO 21930, *Sustainability in buildings and civil engineering works—Core rules for environmental product declarations of construction products and services*. Geneva, Switzerland: International Organization for Standardization.